

Enceintes connectées

Exemple de matériels à disposition à RoulÂge



Enceintes de vieilles chaînes hifi et des hauts-parleurs provenant de la démolition de TV ou de postes de radio-cassettes.




Ces matériels peuvent être ré-utilisés en y associant un ampli connecté et une source d'alimentation de récupération, 5, 12 ou 24V

Pour les hauts-parleurs il faudra réaliser une boîte en bois à la découpeuse laser

Exemples d'amplificateurs numériques (classe D)

Ampli TDA7498 2x100W

Alimentation 24V 2A



TDA7498 Digital amplifier board 2*100W Bluetooth 5.0 TF Card AUX

Ampli C50H, TPA3116 2x50W

Alimentation 24V 2A

HIFI level stereo Bluetooth digital power amplifier board Extreme Edition

50W+50W TPA3116D2

Bluetooth 5.0	AUX Input	U Disk Play	Sound card Input	High fidelity Sound quality	Active speakers Output	Passive speaker Output
---------------	-----------	-------------	------------------	-----------------------------	------------------------	------------------------

New upgrade
Good sound quality
Sigh for listening

Gift Rotary encoder used by high-end speakers
 Stepless tuning feels smooth, one-button start and stop

Cool features-Mobile APP Sinilink control Supports Android and IOS systems


Ampli DW-CT14+ 2x5W

Alimentation 5 V USB




Module lecteur MP3, FM, USB Bluetooth

Alimentation 12V



BUTTON FUNCTION INTRODUCTION



XY-C15H : Ampli 2*20W + BT 5.0 + Aux in

Alim 5-24V



Exemple : Ampli C50H + Enceintes 2x6 ohms 15W + Alimentation : 14V 1A

